Canadian Virtual Hospice Music Therapy PallNet Community

- Aldridge, D. (2003). Music therapy references relating to cancer and palliative care. <u>British Journal of Music Therapy</u>, <u>17(1)</u>, <u>17-25</u>.
- Aldridge, D. (Ed.). (1998). *Music therapy in palliative care: New voices*. London and Philadelphia: <u>Jessica Kingsley</u> Publishers.
- Archie, P., Bruera, E., & Cohen, L. (2013). Music-based interventions in palliative care: A review of quantitative studies and neurological literature. *Supportive Care in Cancer*, *21*(9), 2609-2624.
- Bailey, L. M. (1983). The effects of live music versus tape-recorded music on hospitalized cancer patients. <u>Music Therapy</u>, 3, 17-28.
- Baxter, C., & O'Callaghan, C. (2010). Decisions about the future use of music therapy products created by palliative care patients in music therapy. *Australian Journal of Music Therapy*, *21*, 2-20.
- Bradshaw, D. H., Brown, C. J., Cepeda, M. S. & Pace, N. L. (2011). Music for pain relief (Protocol). <u>Cochrane</u> Database of Systematic Reviews (Online), Issue 9. Art. No.: CD009284. DOI: 10.1002/14651858.CD009284
- Bradt, J. & Dileo, C. (2014). Music therapy for end-of-life-care. <u>Cochrane Database of Systematic Reviews (Online)</u>, Issue 3, Art. No.: CD007169/pub3. DOI: 10.1002/14651858.CD007169.pub3 [withdrawn]
- Bradt, J., Dileo, C., Grocke, D. & Magill, L. (2011). Music interventions for improving psychological and physical outcomes in cancer patients. *Cochrane Database of Systematic Reviews* (Online) ISSN: 1469-493X, 2011 Aug 10; (8); Cochrane AN: CD006911; PMID: 21833957. http://www.thecochranelibrary.com
- Burns, D. S., Azzouz, F., Sledge, R., Rutledge, C., Hincher, K., Monahan, P. O., et al. (2008). Music imagery for adults with acute leukemia in protective environments: A feasibility study. <u>Supportive Care in Cancer, 16(5), 507-513</u>.
- Cadrin, M. L. (2005-2006). Dying well: The Bonny Method of guided imagery and music at end of life. <u>Journal of the</u> Association of Music & Imagery, 10, 1-25.
- Cadrin, M. L. (2006). Music therapy legacy work in palliative care: Creating meaning at the end of life. <u>Canadian Journal of Music Therapy</u>, 12(1), 109-137.
- Caprilli, S., Anastasi, F., Grotto, R. P., Abeti, M. S., & Messeri, A. (2007). Interactive music as a treatment for pain and stress in children during venipuncture: A randomized prospective study. <u>Journal of Developmental and Behavioral Pediatrics</u>, 28(5), 399-403.
- Cassileth, B. R., Vickers, A.J., & Magill, L. A. (2003). Music therapy for mood disturbance during hospitalization for autologous stem cell transplantation: A randomized controlled trial. *Cancer*, *98*(12), 2723-2729.
- Cepeda, M. S., Carr, D. B., Lau, J., & Alvarez, H. (2013, October). Music for pain relief (Review). <u>Cochrane Database of Systematic Reviews</u>, Issue 2. Art. No.: CD004843. doi:10.1002/14651858.CD004843.pub2 [withdrawn]
- Clark, M., Isaacks-Downton, G., Wells, N., Redlin-Frazier, S., Eck, C., Hepworth, J. T., et al. (2006). Use of preferred music to reduce emotional distress and symptom activity during radiation therapy. <u>Journal of Music Therapy</u>, <u>43(3)</u>, 247-265.
- Clements-Cortes, A. (2004). The use of music in facilitating emotional expression in the terminally ill. <u>American</u> <u>Journal of Hospice & Palliative Medicine</u>, 21(4), 255-260.

- Clements-Cortes, A. (2006). Occupational stressors among music therapists working in palliative care. <u>Canadian</u> <u>Journal of Music Therapy</u>, 12(1), 30-60.
- Clements-Cortes, A. (2009). Episodes of relationship completion through song: Case studies of music therapy research in palliative care. Saarbrücken, Germany: VDM Verlag.
- Clements-Cortes, A. (2011). Portraits of music therapy in facilitating relationship completion at the end of life. <u>Music and Medicine</u>, 3(1), 31-39.
- Curtis, S. L. (1986). The effect of music on pain relief and relaxation of the terminally ill. <u>Journal of Music Therapy</u>, 23(1), 10-24.
- Curtis, S. L. (2011). Music therapy and the symphony: A university-community collaborative project in palliative care. Music and Medicine, 3(1), 20–26. DOI:10.1177/1943862110389618
- Daveson, B., O'Callaghan, C. & Grocke, D. (2008), Indigenous music therapy theory building through grounded theory research: The developing indigenous theory framework. *The Arts in Psychotherapy*, *35*(4), 280-286.
- Daykin, N., McClean, S. & Bunt, L. (2007). Creativity, identity and healing: Participants' accounts of music therapy in cancer care. *Health*, *11*(3), 349-370.
- DeNora, T. (2012). Resounding the great divide: Theorising music in everyday life at the end of life. [Special issue] *Death Studies*, 17(2), 92-105. DOI:10.10080/13576275.2012.673375
- Dileo, C. (2011). Final notes: Therapeutic uses of the voice with imminently dying patients. In F. Baker and S. Uhlig (Eds.), *Voicework in music therapy: Research and practice* (pp. 321–330). Philadelphia, PA: <u>Jessica Kingsley Publishers</u>.
- Dileo, C., & Bradt, J. (2008). Music therapy for end-of-life care (Intervention Protocol). Retrieved July 7, 2008, from http://www.thecochranelibrary.com
- Dileo, C., & Loewy, J. (Eds.). (2005). Music therapy at the end of life. Cherry Hill, NJ: Jeffrey Books.
- Dileo, C., & Magill, L. A. (2005). Songwriting with oncology and hospice adult patients from a multicultural perspective. In F. Baker & T. Wigram (Eds.), *Songwriting: Methods, techniques and clinical applications for music therapy clinicians, educators and students* (pp. 224-245). London and New York: Jessica Kingsley Publishers.
- DiMaio, L. (2010). Music therapy entrainment: A humanistic therapist's perspective of using music therapy entrainment with hospice clients experiencing pain. *Music Therapy Perspectives* 28(2), 106-115.
- Edwards, J. (Ed.). (2007). *Music: Promoting health and creating community in healthcare settings*. Newcastle: Cambridge Scholars Publishing.
- Forrest, L. C. (2000). Addressing issues of ethnicity and identity in palliative care research through music therapy. *The Australian Journal of Music Therapy, 11,* 23-37.
- Forrest, L. (2011). Supportive cancer care at the end of life: Mapping the cultural landscape in palliative care and music therapy. *Music and Medicine*, 3(1), 9-14. doi:10.1177/1943862110390820
- Forinash, M., & Gonzalez, D. (1989). A phenomenological perspective of music therapy. Music Therapy, 8(1), 35-46.
- Gallagher, L. M. (2011). The role of music therapy in palliative medicine and supportive care. <u>Seminars in Oncology</u>, 38(3), 403-406.

- Gallagher, L. M., Huston, M. J., Nelson, C. J., Walsh, D., & Steele, A. L. (2001). Music therapy in palliative medicine. *Supportive Care in Cancer*, *9*(3), 156-161.
- Gallagher, L. M., Lagman, R., Walsh, D., Davis, M. P., & LeGrand, S. B. (2006). The clinical effects of music therapy in palliative medicine. *Supportive Care in Cancer*, *14*, 859-866.
- Gallagher, L. M., & Steele, A. L. (2001). Developing and using a computerized database for music therapy in palliative medicine. *Journal of Palliative Care*, 17(3), 147-154.
- Grief, C. J., Grossman, D., Rootenberg, m, & Mah, L. (2013). Attitudes of terminally ill older adults toward complementary and alternative medicine therapies. *Journal of Palliative Care*, 29(4), 205-209.
- Groen, K.M. (2007). Pain assessment and management in end of life care: A survey of assessment and treatment practices of hospice music therapy and nursing professionals. *Journal of Music Therapy*, 44(2), 90-112.
- Gutgsell, K. J. Schluchter, M., Margevicius, S., DeGolia, P. A., McLaughlin, B., Harris, M., Mecklenburg, J., & Wiencek, C. (2013). Music therapy reduces pain in palliative care patients: A randomized controlled trial. <u>Journal of Pain and Symptom Management</u>, 45(5), 822-831.
- Hartley, N., & Payne, M. (2008). *The creative arts in palliative care*. London and Philadelphia: <u>Jessica Kingsley</u> Publishers.
- Heath, B. & Lings, J. (2012). Creative songwriting in therapy at the end of life and in bereavement. <u>Mortality, 17(2) pp.</u> 106-118. DOI:10.1080/13576275.2012.673381
- Hilliard, R. E. (2001). The effects of music therapy on quality of life of people diagnosed with terminal cancer. <u>Journal of Palliative Care</u>, 17(3), 161-166.
- Hilliard, R. E. (2003). Music therapy in pediatric palliative care: Complementing the interdisciplinary approach. *Journal of Palliative Care*, 19(2), 127-132.
- Hilliard, R. E. (2004). Hospice administrators' knowledge of music therapy: A comparative analysis of surveys. <u>Music Therapy Perspectives</u>, 22(2), 104-108.
- Hilliard, R. E. (2004). A post-hoc analysis of music therapy services for residents in nursing homes receiving hospice care. *Journal of Music Therapy*, *41*(4), 266-281.
- Hilliard, R. E. (2005). Music therapy in hospice and palliative care: A review of the empirical data. *Evidence-Based Complementary and Alternative Medicine*, *2*(2), 173-178.
- Hilliard, R. E. (2006). The effect of music therapy sessions on compassion fatigue and team building of professional hospice caregivers. *The Arts in Psychotherapy, 33*(5), 395-401.
- Hilliard, R. E. (2007). The effects of Orff-based music therapy and social work groups on childhood grief symptoms and behaviors. *Journal of Music Therapy*, 44(2), 123-138.
- Hogan, B. E. (1999). The experience of music therapy for terminally ill patients: A phenomenological research project. In D. R. Pratt & D. Erdonmez-Grocke (Eds.), *MusicMedicine 3: MusicMedicine and music therapy: Expanding horizons* (pp. 242-252). Melbourne: The University of Melbourne.
- Hogan, B.E. (2002). Music therapy in palliative care: A state of the art. *Progress in Palliative Care*, 10(3), 108-112.
- Horne-Thompson, A., Daveson, B., & Hogan, B. (2007). A project investigating music therapy referral trends within palliative care: An Australian perspective. *Journal of Music Therapy*, 44(2), 139-155.

- Horne-Thompson, A., & Grocke, D. E. (2008). The effect of music therapy on anxiety in patients who are terminally ill. *Journal of Palliative Medicine*, *11*(4), 582-590.
- Klassen, J. A., Liang, Y., Tjosvold, L., Klassen, T. P., & Hartling, L. (2008). Music for pain and anxiety in children undergoing medical procedures: A systematic review of randomized controlled trials. <u>Ambulatory Pediatrics</u>, 8(2), 117-128. Link to journal.
- Krout, R. E. (2000). Hospice and palliative music therapy: A continuum of creative caring. In AMTA (Ed.), *Effectiveness of music therapy procedures: Documentation of research and clinical practice, 3rd edition.* (pp. 323-411). Silver Springs, MD: <u>American Music Therapy Association</u>.
- Krout, R. E. (2001). The effects of single-session music therapy interventions on observed and self-reported levels of pain control, physical comfort, and relaxation of hospice patients. <u>American Journal of Hospice and Palliative</u> Care, 18(6), 383-390.
- Lee, C. A. (1996). Music at the edge: The music therapy experiences of a musician with AIDS. London and New York: Routledge.
- Lee, C. A. (Ed.). (1995). Lonely waters: Proceedings of the international conference music therapy in palliative care. Oxford: Sobell Publications.
- Lindenfelser, K. J., Hense, C., & McFerran, K. (2012). Music therapy in pediatric palliative care: Family-centered care to enhance quality of life. *American Journal of Hospice and Palliative Medicine*, 29(3), 219-226.
- Lipe, A. W. (2002). Beyond therapy: Music, spirituality, and health in human experience: A review of the literature. *Journal of Music Therapy*, 39(3), 209-240.
- Magill, L. (2001). The use of music therapy to address the suffering in advanced cancer pain. *Journal of Palliative Care*, 17(3), 167-172.
- Magill, L. (2009). Caregiver empowerment and music therapy: Through the eyes of bereaved caregivers of advanced cancer patients. *Journal of Palliative Care, 25*(1), 68-75.
- Magill Levrault, L. (2009). The spiritual meaning of pre-loss music therapy to bereaved caregivers of advanced cancer patients. *Journal of Palliative and Supportive Care*, 7(1), 97-108.
- Magill Levrault, L. (2009). The meaning of music: The role of music in palliative care music therapy as perceived by bereaved caregivers of advanced cancer patients. <u>American Journal of Hospice & Palliative Medicine</u>, 26(1), 33-39.
- Magill Levrault, L., & Berenson, S. (2008). The conjoint use of music therapy and reflexology with hospitalized advanced stage cancer patients and their families. *Journal of Palliative and Supportive Care*, 6(3), 289-296.
- Mandel, S. E. (1989). A music-in-hospice case study. Thanatos, 14(3), 7-8.
- Mandel, S. E. (1991). Music therapy in hospice: 'Musicalive'. Palliative Medicine, 5, 155-160.
- Mandel, S. E. (1993). The role of music therapy on the hospice/palliative care team. <u>Journal of Palliative Care, 9(4),</u> 42-47.
- Marom, M. K. (2008). "Patient declined": Contemplating the psychodynamics of hospice music therapy. <u>Music</u> *Therapy Perspectives*, 26(1), 13-22.
- Martin, J. (Ed.). (1989). The next step forward: Music therapy with the terminally ill. Bronx, NY: Calvary Hospital.

- Mills, S. (2012). Sounds to soothe the soul: music and bereavement in a traditional South Korean death ritual. *Mortality*, 17 (2) pp. 145-157. DOI:10.1080/13576275.2012.675231
- Mitchell, L. A., & MacDonald, R. A. R. (2006). An experimental investigation of the effects of preferred and relaxing music listening on pain perception. *Journal of Music Therapy*, 43(4), 295-316.
- Munro, S. (1984). Music therapy in palliative/hospice care. St. Louis, MO: MMB Music, Inc.
- Munro, S., & Mount, B. (1978). Music therapy in palliative care. <u>Canadian Medical Association Journal</u>, <u>119</u>, <u>1029-</u> 1034.
- O'Callaghan, C. (1993). Communicating with brain-impaired palliative care patients through music therapy. <u>Journal of Palliative Care</u>, 9(4), 15-22.
- O'Callaghan, C. (1996). Pain, music creativity and music therapy in palliative care. <u>American Journal of Hospice and Palliative Care</u>, 13, 43-49. Link to journal.
- O'Callaghan, C. (1997). Therapeutic opportunities associated with music when using song writing in palliative care. *Music Therapy Perspectives*, *15*(1), 32-38.
- O'Callaghan, C. (2001). Bringing music to life: A study of music therapy and palliative care experiences in a cancer hospital. *Journal of Palliative Care*, 17(3), 155-160.
- O'Callaghan, C. (2004). The contribution of music therapy to palliative medicine. In D. Doyle, G. Hanks, N. I. Cherny, & K. Calman (Eds.), *Oxford textbook of palliative medicine, 3rd edition* (pp. 1041-1046). Oxford University Press.
- O'Callaghan, C. (2008). Lullament: Lullaby and lament therapeutic qualities actualized through music therapy. *American Journal of Hospice and Palliative Care*, *25*(2), 93-99.
- O'Callaghan, C. (2009). Objectivist and constructivist music therapy research in oncology and palliative care: An overview and reflection. *Music and Medicine*, 1(1), 41-60.
- O'Callaghan, C. (2010). The contribution of music therapy to palliative medicine. In G. Hanks, N. Cherny, N. Christakis, M. Fallon, S. Kaasa, & R. Portenoy (Eds.), *The Oxford textbook of palliative medicine, 4th edition* (pp. 214-221). Oxford: Oxford University Press.
- O'Callaghan, C. & Grocke, D. (2009). Lyric analysis research in music therapy: Rationales, methods and representations. *The Arts in Psychotherapy*, 36(5), 320-328.
- O'Callaghan, C. & Barry, P. (2009). Music therapists' practice-based research in cancer and palliative care: Creative methods and situated findings. *Voices: A World Forum for Music Therapy*, 9(3). Available at https://normt.uib.no/index.php/voices/article/view/53/255
- O'Callaghan, C., & Hiscock, R. (2007). Interpretive subgroup analysis extends modified grounded theory research findings in oncologic music therapy. *Journal of Music Therapy*, 44(3), 256-281
- O'Callaghan, C. & Magill, L. (2009). Effect of music therapy on oncologic staff bystanders: A substantive grounded theory. *Palliative and Supportive Care*, 7(2), 219-228.
- O'Callaghan, C., & McDermott, F. (2004). Music therapy's relevance in a cancer hospital researched through a constructivist lens. *Journal of Music Therapy*, *41*(2), 151-185.

- O'Callaghan, C., McDermott, F., Hudson, P., Zalcberg, J.R. (2013). Sound continuing bonds with the deceased: The relevance of music, including preloss music therapy, for eight bereaved caregivers. <u>Death Studies</u>, <u>37 (2) pp.</u> 101-125.
- O'Callaghan, C. Petering, H., Thomas, A. & Crappsley, R. (2009). Dealing with palliative care patients' incomplete music therapy legacies: Reflexive group supervision research. <u>Journal of Palliative Care, 25(3), 197-205</u>.
- O'Kelly, J., & Koffman, J. (2007). Multidisciplinary perspectives of music therapy in adult palliative care. *Palliative Medicine*, 21(3), 235-241.
- Pereira, C.S., Teixeira, J., Figueiredo, P., Xavier, J., Castro, S.L, & Brattico, E. (2011). Music and emotions in the brain: Familiarity matters. *PLoS One*, *6*(11), e27241 1-9.
- Register, D. M., & Hilliard, R. E. (2008). Using Orff-based techniques in children's bereavement groups: A cognitive-behavioral music therapy approach. *The Arts in Psychotherapy*, 35(2), 162-170.
- Robb, S. L. (2000). The effect of therapeutic music interventions on the behavior of hospitalized children in isolation: Developing a contextual support model in music therapy. *Journal of Music Therapy*, *37*(2), 118-146.
- Romo, R., & Gifford, L. (2007). A cost-benefit analysis of music therapy in a home hospice. *Nursing Economics*, 25(6), 353-358.
- Rykov, M., & Salmon, D. (1998). Bibliography for music therapy in palliative care 1963-1996. *American Journal of Hospice and Palliative Care*, *15*(3), 174-180.
- Rykov, M. H. (2001). Facing the music: Speculations on the dark side of our moon. <u>Journal of Palliative Care, 17(3),</u> 188-192.
- Salmon, D. (2001). Music therapy as psychospiritual process in palliative care. <u>Journal of Palliative Care, 17(3), 142-146</u>.
- Salmon, D. (2005). Ultimate journeys: Clinical internship in end-of-life care. In C. Dileo & J. Lowey (Eds.), *Music Therapy at the End of Life* (pp. 251-258). Cherry Hill, NJ: <u>Jeffrey Books</u>.
- Salmon, D. (2008). Bridging music and psychoanalytic therapy. Retrieved March 1, 2008, from http://www.voices.no/mainissues/mi40008000260.php
- Sato, Y. (2011). Musical life review in hospice. *Music Therapy Perspectives*, 39(1), 31-38.
- Sekeles, C. (2007). Music therapy: Death and grief. Gilsum, NH: Barcelona Publishers.
- Standley, J. M. (1992). Clinical applications of music and chemotherapy: The effects on nausea and emesis. <u>Music</u> <u>Therapy Perspectives</u>, 10(1), 27-35.
- Stouffer, J. W., Shirk, B. J., & Polomano, R. C. (2007). Practice guidelines for music interventions with hospitalized pediatric patients. *Journal of Pediatric Nursing*, 22(6), 448-456.
- Summers, S. (2011). The vocal *Hello Space* mode. in hospice music therapy. In F. Baker and S. Uhlig (Eds.), *Voicework in music therapy: Research and practice*(pp. 302–320). Philadelphia, PA: <u>Jessica Kingsley Publishers</u>.
- Teut, M., Dietrich, C., Deutz, B., Mittring, N., & Witt, C. M. (2014). Perceived outcomes of music therapy with Body Tambura in end of life care A qualitative pilot study. *BMC Palliative Care 13*(1), art. no 18.

- Trauger-Querry, B., & Haghighi, K. R. (1999). Balancing the focus: Art and music therapy for pain control and symptom management in hospice care. *The Hospice Journal*, 14(1), 25-37.
- Trevarthen, C., & Malloch, S. (2000). The dance of well-being: Defining the musical therapeutic effect. *Nordic Journal of Music Therapy*, 9(2), 3-17.
- West, T. (1994). Psychological issues in hospice music therapy. Music Therapy Perspectives, 12, 117-124.
- Whittall, J. (1989). The impact of music therapy in palliative care: A quantitative study. In J.A. Martin (Ed.), *The next step forward: Music therapy with the terminally ill* (pp. 69-72). New York: Calvary Hospital.
- Wlodarczyk, N. (2007). The effect of music therapy on the spirituality of persons in an in-patient hospice unit as measured by self-report. *Journal of Music Therapy, 44*(2), 113-122.
- Zabin, A. H. (2005). Lessons learned from the dying: Stories from a music therapist. *Music Therapy Perspectives*, 23(1), 70-75.
- Zimmerman, L., Pozhel, B., Duncan, K., & Schmitz, R. (1989). Effects of music in patients who have chronic cancer pain. *Western Journal of Nursing Research*, *11*(3), 298-309.

Last Updated: June 30, 2014

CVH MTPallNet Bibliography suggested citation:

Rykov, M. H., Weeks, V., Cadrin, M. L., Pringle, A., Salmon, D., & Montgomery, E. (2014). *Bibliography for Music Therapy in Hospice Palliative Care: Canadian Virtual Hospice Music Therapy PallNet Community Bibliography Wiki*. Winnipeg and Toronto: Canadian Virtual Hospice and the Canadian Partnership Against Cancer.